



**CENTREFIRE RIFLE
CARTRIDGES**

GECO PLUS

GECO .308 Win. PLUS 11,0g

Item no:	2317805
Bullet type:	Bonded
Bullet Weight:	11,0 g / 170 gr
Barrell Length:	600 mm
Ballistic Coefficient:	0.274
Caliber:	.308 Win.
Packaging unit:	20
Lead:	Yes
Recoil:	Medium
Usage for:	Light Game Medium Game Heavy Game

HIGHLIGHTS

- Penetrates deeply and preserves game (even in the case of larger game).
- Reliable effectiveness in heavy game and bone hits
- GECO BONDING provides high precision and deformation you can count on
- Control of the deformation through the visible predetermined breaking points in the jacket

DESCRIPTION

GECO PLUS is synonymous with deep penetration and game preservation (even in the case of larger game).



BALLISTIC DATA

Metric


Velocity		Energy		Zero Range		
V0 [m/s]	780	E0 [J]	3346		100m	MRD* 156m
V50 [m/s]	727	E50 [J]	2907	50m	-0.2	1.8
V100 [m/s]	677	E100 [J]	2521	100m	∞	4
V150 [m/s]	629	E150 [J]	2176	150m	-5.2	0.8
V200 [m/s]	582	E200 [J]	1863	200m	-16.6	-8.5
V250 [m/s]	538	E250 [J]	1592	250m	-35.3	-25.2
V300 [m/s]	497	E300 [J]	1359	300m	-62.5	-50.5

Imperial

Velocity		Energy		Zero Range		
V0 [ft/s]	2559	E0 [ft/lbs]	2468		100yds	MRD* 170yds
V50 [ft/s]	2401	E50 [ft/lbs]	2173	50yds	-0.2	0.5
V100 [ft/s]	2249	E100 [ft/lbs]	1906	100yds	∞	1.6
V150 [ft/s]	2102	E150 [ft/lbs]	1665	150yds	-1.5	0.9
V200 [ft/s]	1962	E200 [ft/lbs]	1451	200yds	-4.9	-1.8
V250 [ft/s]	1827	E250 [ft/lbs]	1258	250yds	-10.6	-6.8
V300 [ft/s]	1699	E300 [ft/lbs]	1088	300yds	-19	-14.3



Bullet construction of GECO PLUS



1

GECO PERFORMANCE POINT:
For precision and safe deformation

2

GECO GROOVES:
For controlled effectiveness

3

GECO BONDING:
For deep penetration and venision protection

