



## CENTREFIRE RIFLE CARTRIDGES

# GECO ZERO

**GECO 9,3x74 R ZERO 11,9g**

Item no:	<b>2318951</b>
Bullet type:	<b>Fragmentation</b>
Bullet Weight:	<b>11.9 g / 184 gr</b>
Barrell Length:	<b>600 mm</b>
Ballistic Coefficient:	<b>0.241</b>
Caliber:	<b>9,3x74 R</b>
Packaging unit:	<b>20</b>
Lead:	<b>No</b>
Recoil:	<b>Strong</b>
Usage for:	<b>Medium Game Heavy Game</b>

## HIGHLIGHTS

- Lead-free semi-jacketed bullet for all types of game
- Highly innovative jacketed bullet with two tin cores
- Hollow-point construction for high accuracy and best effectiveness
- Front tin core with radial arrangement of predetermined breaking points for a reliably rapid response and high instantaneous effectiveness
- Rear tin core with rear constriction for stability in the residual body and a secure exit wound

## DESCRIPTION

GECO ZERO is a highly effective and accurate, lead-free bullet for all types of game.



## BALLISTIC DATA

### Metric


Velocity		Energy		Zero Range		
V0 [m/s]	<b>825</b>	E0 [J]	<b>4050</b>		<b>100m</b>	<b>MRD* 161m</b>
V50 [m/s]	<b>764</b>	E50 [J]	<b>3473</b>	50m	<b>-0.4</b>	<b>1.6</b>
V100 [m/s]	<b>705</b>	E100 [J]	<b>2957</b>	100m	<b>∅</b>	<b>4</b>
V150 [m/s]	<b>648</b>	E150 [J]	<b>2498</b>	150m	<b>-4.6</b>	<b>1.4</b>
V200 [m/s]	<b>595</b>	E200 [J]	<b>2106</b>	200m	<b>-15</b>	<b>-7</b>
V250 [m/s]	<b>545</b>	E250 [J]	<b>1767</b>	250m	<b>-32.4</b>	<b>-22.4</b>
V300 [m/s]	<b>497</b>	E300 [J]	<b>1470</b>	300m	<b>-58.1</b>	<b>-46.1</b>

### Imperial

Velocity		Energy		Zero Range		
V0 [ft/s]	<b>2707</b>	E0 [ft/lbs]	<b>2987</b>		<b>100yds</b>	<b>MRD* 177yds</b>
V50 [ft/s]	<b>2522</b>	E50 [ft/lbs]	<b>2594</b>	50yds	<b>-0.3</b>	<b>0.5</b>
V100 [ft/s]	<b>2344</b>	E100 [ft/lbs]	<b>2240</b>	100yds	<b>∅</b>	<b>1.6</b>
V150 [ft/s]	<b>2174</b>	E150 [ft/lbs]	<b>1927</b>	150yds	<b>-1.3</b>	<b>1.1</b>
V200 [ft/s]	<b>2011</b>	E200 [ft/lbs]	<b>1649</b>	200yds	<b>-4.4</b>	<b>-1.3</b>
V250 [ft/s]	<b>1857</b>	E250 [ft/lbs]	<b>1406</b>	250yds	<b>-9.7</b>	<b>-5.8</b>
V300 [ft/s]	<b>1709</b>	E300 [ft/lbs]	<b>1191</b>	300yds	<b>-17.5</b>	<b>-12.8</b>



## Bullet construction of GECO ZERO



**1 GECO PERFORMANCE POINT:**

For accuracy and certain expansion

**2 PRE-FRAGMENTED TIN FRONT CORE:**

For reliable performance and solid stopping power

**3 REAR CANNELURE:**

For heigh weight retention and a certain exit wound

